


注意事项

1、请远离强磁场、高温、潮湿等环境；







4、请勿自行拆卸本设备。

□ □

□ □ □□

□□□

□□

□

□

□ □ □□ □

□ □ □□

□□

□ □ □□ □ □□

□□ □ □

□ □□ I

□ □□□ □

□ □ □ □□

□ □□ □

□ □ □□ □ □□□

□ □□

□ □□

□ □□

□□□□ □ □ □

□ □□□

□ □ □□

□ □ □□

□ □ □□ □□□□ k □ □ □ □□□□□□

□□□□□□ □□□□□□□k □ □ □ □□□ □□ □

□□□ k □ □ □□ □□□ □□□k□ □□□

□ □□ □□ □ □□ □□□ k □ □□□ □

□□ □□□ □ □ l□□k

□□ □ k

□ □ □ □ □ l □□ □□ □k □ □ □ □□

□□ □ □ □□ □□ □ □ □□ □□□□ □ □□□□k

□ □□□ □ □□ □□□ k□ □□□□□□

□ □ □□ □□□ □ □ □□□ k □ □□□□□

□□ □□k

□□ □ □ □□ □□□ □ □ □ □ □□□□□□□

1.1. □□□

□ □ □

- □ □□□ □ □□ □□ □
- □ □ □□ □□□□ k □ □ □ □□ □ □□ □□□□ □ k
- □ □□□ □ □□□ k
- □ □□ □ □ □□□□□ □ □□ □ □ k □□□□□□ □ □□ □□ □ □□ k
- □□□ □□ □ k
- □ □ □ □□□ □ □ □ □ □ □ □ k □□ □□□ □□ □□ □□□□ k □ □ □□ □ □□ k
- □ □ □ □□ □□□□□□ □ □ □□□□
- □ □□ ! ! ! ! ! ! k

1.2. □□

□□ □□ □□ □ □□ □ k □ □□□□□□

□□ □□ □□□ | □ k

□□□ □□ □□□□ k□ □ □ □□□□□□□

□□ k

1.3. □

□□□□ □ □ □□□ □ □ □□ □□□k □□ □

□ □ □ □ □ k

1.4. □

□ □□□□ □□ □k □□□ □ □ □□□ □□

□k □□ □□ □□□□ □□ □ □ □k

□ □ □□ □

□ □ □□□ □□ □□□□

□□□□ □ □ □

□□ □

□ □ □□□□□ □□ □□□□□□ □

□

□ □□ □□ □□ □□□□


□□ □□ □□

□ □□□□□□


□□ □□ □□

□ □ □□

3.1.



3.2. □□



		□□□□□□□□□ □ □□ □□□□□□		□□	□□□□□ □□□□
		□□ □□□□□□ □ □□ □ □		□□□□	□□□□ □□ □□□□ □□□□□□□□□□ □□□□ □□ □□ □□□ □□□ □ □ □□□□ □□□□ □ □□□
	□□			□□□□□ □□ □□	


k

4.4.

k

k

k



1.x.0

IP

IP-L: (IP)

KNX-L: KNX

AC:

LC:

ML:

SL:



□ □ □□ □ □□□

5.1. □ □□

□ □□ □□ k □□ □ □□ □ □ □□ □ □□

□ k


-.-.- IP Router with Secure > General
General
Routing (KNX -> LAN)
Routing (LAN -> KNX)
Company Name (30 char.)
Project Name (30 char.)
DNS server
8.8.8.8
IP Settings
Configuration in ETS windows->Properties<-
Device name: Device-->Properties-->Settings-->Name
IP addresses: Device-->Properties-->IP

" □ □□

□

□ □ □ □ □ □□□ □ k

□


□ □ □ □ □□ □□□ □ k


□

□ □ □ □ k

□ □□ □□ □□ □□□

□ □ □□ □□ k


Properties
Settings
IP
Comm...
Name
IP Router with Secure
Individual Address
Description
Last Modified 6/28/2023 5:55 PM
Last Downloaded -
Serial Number -
Secure Commissioning
Activated
Add Device Certificate
Secure Tunneling
Deactivated
Status
Unknown


Properties
Settings
IP
Comm...
Inform...
Use a static IP address
MAC Address
Multicast Address
224.0.23.12
Good
Authentication Code
Good


Properties
IP
Comm...

5.2.



I V

Q

□

□ □ □□ □□□□ ! □□□□□□k □□□

□□□□ □□ □k

□□□□ □□ □□ □□□□ □□ □k

□□□ □□□ □k

□□ □ □□ □ □□ □□ □□□ □ □□□□ □□□ □ □ □k

□

□ □ □□ □□□ □□□□□□k □□□

□ □□□ □k □ □ □ □ □ □ □□ □□□ □ □

□ □ □□ □ □□□□k

□□ □□ □k

□

□ □ □ □□□□ □k □□□

□ □□ □□□□ □ □ □□ □□□□□ □ □k

□ □ □□ □□□□ □□□□□k

□

□ □ □ □ □ □□ □□□□ ! □□□□□□□k □□□

□□ □ □ □ □k

□□ □ □□ □□ □□□□ □□ □k

□ □ □ □ □ □k

□

□ □ □□ □□□□ ! □□□□□□□k □□□

□□□□ □□ □k

□□□□ □□ □□ □□□□ □□ □k

□□□ □□□ □k

□□ □ □□ □ □□ □□ □□□ □ □□□□ □□□ □ □ □k

□

□ □ □□ □□□ □□□□□□□k □□□

□ □□□ □k □ □ □ □ □ □ □□ □□□ □ □

□ □ □□ □ □□□□k

□□ □□ □k

□

□ □ □

□ □ □ □

5.4. □□□□ □ □ □

□ □ □ □□□ □ □□ □□□□□□ □ □□□

□ □□□ □ □□□ □□□ □ □□ □ □ □ □□ □□

□ k



□ □□□□□□□ □ □ □□ □□ □□ □□□ □□□ □□□□□□


□□ k □ □ □□□ □□ □ □□□□ □ □

□ □□□□ k

□ □□□□ □□□ □ □ □ □□ □ □□ □□

□ □□□□□□□ □□ □□□□□□ □ k □ □□ □


□□ □□□ □



Devices
Add Devices
Delete
Download
Help
Highlight Changes
Default Parameters
Grant Customer Access
Devices
Dynamic Folders
1.1.0 IP Router with Secure > General
General
Company Name (30 char.)
Project Name (30 char.)
DNS server
255.255.255.0
Routing (LAN -> KNX)
1.1.2 KNXnet/IP tunneling interface
1.1.3 KNXnet/IP tunneling interface
1.1.4 KNXnet/IP tunneling interface
Properties
Settings
Comm...
Inform...
Name
Individual Address
1.1
1
Description

□ □□□□□ □ □□ □□ □ □ □ □

□ k □ □□ □□□□□ □ □ □ □


□□ □□□□□□ □k


Devices
Add Devices
Delete
Download
Help
Highlight Changes
Default Parameters
Grant Customer Acc
Devices
Dynamic Folders
1.1.0 IP Router with Secure
1.1.1 KNXnet/IP tunneling interface
1.1.2 KNXnet/IP tunneling interface
1.1.3 KNXnet/IP tunneling interface
1.1.4 KNXnet/IP tunneling interface
1.1.5 KNXnet/IP tunneling interface
1.1.0 IP Router with Secure > General
General
Routing (KNX -> LAN)
Routing (LAN -> KNX)
Company Name (30 char.)
Project Name (30 char.)
DNS server
255.255.255.0
Properties
Sett...
IP
Co...
Info...
Name
IP Router with Secure
Individual Address
1.1 . 0
Park
Description
Last Mod
Last Downloaded
Serial number
Secure Commissioning
Activated
Delete Certificate
Secure Tunneling
Activated
Status
Unknown


Add Devices
Delete
Download
Help
Highlight Changes
Default Parameters
Grant Customer Access
Dynamic Folders
1.1.0 IP Router with Secure
1.1.1 KNXnet/IP tunneling interface
1.1.2 KNXnet/IP tunneling interface
1.1.3 KNXnet/IP tunneling interface
General
Routing (KNX -> LAN)
Company Name (30 char.)
Project Name (30 char.)
DNS server
Properties
Name
Individual Address
Password

□ □ □ □ □ □ □□ □ □□ □□ □ □ □ □ □ □


□ □ □ □ □ □ □ □ k


Set Project Password
Test Project IP Interface Secure
To ensure secure communication, you must provide your
project with a password. All devices in the project are
protected. Select Cancel to use not security at the IP Backbone
in this project.
A good password should:

5.5.

□ □ □□ □ □


Overview
Bus
Catalogs
Settings
Projects
Archive
ETS Inside
Search


Devices
Properties

✧ □ □ □ □ k

□ □ □ □ □ □ □ □ □ □ k

□ □ □ □ □ □ □ □ □ □


□ □


□□□□□□□□□□ □ □ □ □□ k □□□ □ □□ □□

□ □□□ □ □ □ □□ □ □ □ □ □

□□□□□ □□ □□ □ □ □□□ □ □ □□□ □□□ □

□□□□□ □□□ □□ k


Download
1.1.8 Push button sensor Plus with Secure, 1/2/3/4gang
The device in the programming mode is not the same as the device previously
address 1.1.8. If the device
Yes



1.1.8 Push button sensor Plus with Sec...
Download(All): Fai
Device is secured
known within this
If you are sure you
correct project an
device certificate
you can get acces
performing a facto
the device accordi
product documen

□

□□□ □ □□ □□□ □□ □ □ □ □□□□□□ □□□□

□□□□ □ k


□ □□□ □ □□□□ □ □ □□ k


Secure Commissioning
Activated
Secure Tunneling
Deactivated
Status

□□ □□ □□

□□□ □ □□ □ □ □□□□ □ □□□□ □ □

□ □ k


Test Secure demo
Import Date: 2022/4/27 16:49
Details
Security
Project
Project Files
Export
Export Keyring
Device Certificates
Add
Delete
Device
Factory Key (FDSK)
0085:25090001
0085:25090002


5.6. □ □□□

□□□ □ □□ □□ □□ □□ □ □□ □□ □ □□ □

□□□□□□ □□□□ □ □□ □ □□□□□ k □□□ □□□□ □

k

□ □□ □□


Current Interface
1.1.1 IP Interface with Secure
Individual Address: 1.1.2
Configured Interfaces
Add
Import...
Export...
新连接
0.0.0.0:3671
Discovered Interfaces
1.1.0 GDF407 IPRouter
192.168.127.33:3671
15.15.2 IP Interface Secure N 1...
192.168.195.87:3671
00:0E:8C:00:B9:FB
1.1.1 IP Interface with Secure
192.168.192.241:36...
1C:87:76:91:10:A0
MAC Address
1C:87:76:91:10:A0
Ok
Test
IP Tunneling
Name
IP Interface with Secure
Host Individual Address
1.1.1
Individual Address
1.1.2
Address free?
IP Address
192.168.192.241

□□□□□

□ □ □□ □ □□□□ □□ □□ □ □□□□ □ □□□□□ □□ □□ □ □□□ k

□□□□ □ □□ □□□ □□ □□ □□ k

□□ □ □□□□□ □ □□□□□ □□ □ □ □ k

□ □ □□

□ □□□□ □ □ □

□□
□□□ □□□□□□
□□

□□□ □ □ □□ □ □□□□□ □□□□ □ □□ k