


M **_V1.0**
M-AS01

江苏争项

江苏争项 2007 年 12 月 10 日



		1
1.1		1
1.2		1
		2
2.1		2
2.2		3
2.3		4
		5
3.1		5
3.2		6
		7
4.1		7
4.2		7
4.2.1		7
4.2.2		8
4.3		8
4.3.1		8
4.3.2		9
4.3.3		9
4.3.4		9
		10
5.1		10
5.2		11
5.3		

6.4		14
6.5		16
6.6		16
		17
7.1		17
7.2		18
7.3		18
7.4		19
7.5		19
7.6		20

M

TCP/IP

1.1

7 TFT
IC
LED
/

1.2



DC 24V 200mA
300mA -10 +55
95%

CMOS 200W
123° 3.5mm
0 lux


LCD 7”
600×1024

(W/H/D) 148.5×


2.1



2.2



2.3



DC 24V


DC 18-30V

+12V


>18V

3.1

W/H/D 1





2




3

4



5

3.2



1.6

4.1






4.2

4.2.1




1





4.2.2




4.3

4.3.1

4.3.2

4.3.3




4.3.4





3 5678

5.1




5.2



“2718”

5.3






6.1




6.2




6.3



6.4





“

”




“


”




“ ”



6.5



6.6






7.1




ip

7.4



7.5



IP MAC

7.6

